

Date: 13/4/22  
Supplier: Melb Repartek

Batch No: 1125367  
Dart P/O: 19548

Packing Slip: Yes ☒ No ☐  
Invoice: Yes ☐ No ☒  
Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
Waybill Attached: Yes ☐ No ☒  
Shipment Complete: Yes ☐ No ☒ N/A ☐  
QC6 Inspection 13/04/22 N/A ☐  
Work Order 13/04/22 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M 304 B 0.250 x .05w		50	228	0	272	
M 304 R 100		12	0	0	12	
M 303 R .05w		48	0	0	48	

Initials of receiver (if shipment OK) Level 12 15 km

Production/Admin: 3 notes  
Date: 13/4/22  
Received/Costing 15 km  
Initial 15 km

Location \_\_\_\_\_

# Purchase Order Receipt Listing

Monday, April 22, 2013 12:49:09 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO19548 Receipt Dates from 4/22/2013 to 4/22/2013 All Line Item Types  
All Item ID/GL/WOs All Rec. Employees All Currencies  
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name VC-MET001 Metaux Castle											
PO19548	1		M304B0.250x0.500 f		4/22/2013	4/22/2013	228.0000	\$2.39	0.0000	0	\$545.34
CAD	No		304 BAR .250 x .500 f		500.0000	DES102		\$545.34	0.0000	0	
			125367								
Total Received Quantity:											228.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$545.33
Total Balance Due Quantity:											272.0000

235  
OK



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

COPI

Page 1 of 1

Pack Slip No: 1365443

<b>Ship From:</b> A. M. Castle & Co. Chicago 3400 North Wolf Road Franklin Park, IL 60131		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b> 19-APR-2013	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> CASTLE_NETWORK	<b>BOL No</b> 1372576	<b>Delivery No</b> 118606508		

Shipment Details

Final Destination Branch -

<b>Order No</b> 2808456	<b>Line No</b> 1	<b>Item No</b> 4969	<b>Description</b> 0.2500.0.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156 .0000 SPECIFICATIONS: AMS			
<b>Purchase Order No</b> PO19548	<b>Part Number</b> YOUR ITEM NUMBER: M304BO.250X0.500	<b>Ordered Qty</b> 500.00 FT	<b>Invoice Qty</b> 228.0000 FT			
<b>Details</b>						
<b>Mill</b> VALBRUNA CORPORATION	<b>Heat Number</b> 425382	<b>Mech ID</b>	<b>PCS</b> 19	<b>Width (IN)</b>	<b>Length (IN)</b> 144.0000	<b>Shipped Qty (LBS)</b> 96.9000

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

Castle Metals FP

HEAT NUMBER 725382  
MECHANICAL ID \_\_\_\_\_  
ITEM CODE 4969  
LOT NUMBER \_\_\_\_\_  
PO NUMBER 173185  
RECEIPT DATE 1-15-13  
SUPPLIER VAIBRUNA  
SPECIFICATION \_\_\_\_\_  
LCS ND  
COMMENT \_\_\_\_\_  
APPROVED DL

# Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.f.  
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4  
Cliente / Buyer/Purchaser/Clien  
VALBRUNA STAINLESS INC.  
2400 TAYLOR STREET WEST  
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.  
Hersteller/Hersteller/Produkteur



QUALITY MANAGEMENT SYSTEM  
CERTIFIED BY LLOYD'S REGISTER

Avviso di Spedizione: D-VI12020888  
Lieferungs/Packing List

Ordine nr: 33241 173185 CASTLE  
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD  
Erschmelzungsart/Smelting process/Mode d'elaboration

## CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004) , 3.1

Certificato nr: MEST222025/2012/  
Prüfung/Prüfung

Conferma ordine nr: E112004377  
Werk/Our Order/Ref. nr.

Marchio di Fabbrica:  
Zeichen des Lieferanten  
Trade mark  
Sigle de l'usine productrice



Funzione del Collaudatore:  
Stempel des Werkstoffverständigen  
Inspector's stamp/Plompage de l'inspecteur



Stato di fornitura: Descalced Annealed Hot rolled  
Lieferzustand/Delivery state/État de livraison

Specifiche:  
Anforderungen / Requirements / Exigences  
3304-34 3304 A  
ASTM A282 2010 PRACTICE E

(0) SEC. II PTA 2010 EDITION ADD. 2011a

AMS QQ-S-763 B 304 A  
ASTM A282 2010 S30400 A

ASME SA479 2010 S30400 A (0)  
ASTM A479 2011 S30400 A

Qualità: T-304L #4969  
Werkstoff/Grade/Qualité

Marca: AISI

Tolleranza: ASTM A484-11 TABLE 5  
Tolerance/Allowance/Tolérance

Funzionaria: 304  
Kennzahl/Kennzeichnung/Marque

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Designation Product description Design. du produit	Dimensioni - in Abmessungen Dimension Dimension	Lunghezza - in Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0030	Flat	0,5000 x 0,003	148 / 150	425382		1.993	114403711

Test on delivery condition Prüfung auf Lieferzustand produkt test a l'état de livraison Prueba sobre el material así como entregado

TEST	Prova/Probe Bewährung/Prova Lap. des Ess. Dip. Des. Ess. Werk. Des. Thickness Lap. des. épais mm	°F	Prova Gage Fessung Lap. des. Ess. mm	Snervamento Biegeversuch Thick. Probe Lap. des. Ess. Rp 0,2% k.s.f.	Snervamento Biegeversuch Thin. Probe Lap. des. Ess. k.s.f.	Resistenza Zugversuch Tensile strength Reference à traction Rm k.s.f.	Allungamento Bruchversuch Elongation Allongement EAd %	Strizione Striction Reduction of area RA %	Resistenza Kerbschlagversuch Impact Value Resilience	Durezza Härte Hardness Oyts
Valeori richiesti 1 Anforderungen für die Werte Valeurs demandées	min max			30	-	75 115	- 40	- 50	-	-
A	12X6,3	68 L	39			82	59	69		

TEST	min	max
A	Grain size for ASTM E112	5

TL=longitudinale/länge, T=transversale/quers, O=transversale/tangentiel

### Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata Heat Schmelze/Heat	min - max 0,080	1,00	2,00	16,00 20,00	1,00	1,00	8,00 10,50	0,045	0,030	0,100	-	-	-	-	-	-
C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	P %	S %	N %							
425382	0,030	0,44	1,70	18,14	0,48	0,40	8,20	0,028	0,025	0,081						

Annealing temperature: 1940°F for 0.5 h/water.

Intergranular corrosion test per ASTM A282 pract. E: ok.

Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste  
Die gestellten Anforderungen sind lt. Anlage erfüllt  
The material has been furnished in accordance with the requirements  
Le matériel a été livré conforme aux exigences

Controllo antimescolanza: OK  
Verwechslungsprüfung: positiv/positiv durchgeführt  
Antimixing testing performed: OK  
Controlle antimesclage: OK

Controllo visivo e dimensionale: soddisfa le esigenze  
Bewertung und Ausmessung: ohne Beanstandung  
Visual inspection and dimensional check/satisfactory  
Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, 3, 4.3 by TÜV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 06/07/12  
VCC008  
(Mod. MCE2)

Il collaudatore di stabilimento / der Werkstoffverständigen / Works Inspector / L'agent d'usine  
M. Rizzotto

Pagina - 1 di 1

13/04/22



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO19548

Purchase Order Date 4/11/13

PO Print Date 4/11/13

Page Number 1 of 2

Order From :

VC-MET001

METAUX CASTLE  
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720  
P.O. BOX 4090 STN A  
TORONTO, ON M5W OE9  
CA

Contact Name

Vendor Phone 514 694 9575

Vendor Fax 514 695 3281

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**FAXED**  
04/13/13

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304B0.250x0.500	304 BAR .250 x .500	4/22/13 Yes	500.00 f	Yours ppd	\$2.4300	\$1,215.00
Special Inst: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE PER ASTM A276 OR ASTM A240 NOTE: (303 NOT ACCEPTABLE)							
2	M304R1.250	304 round bar 1.250	4/22/13 Yes	12.00 f	Yours ppd	\$13.6600	\$163.92
Special Inst: MATERIAL: MATERIAL: 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE							
3	M303R0.500	303 Round Bar 0.500	4/22/13 Yes	48.00 f	Yours ppd	\$1.6700	\$80.16
Special Inst: MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE							

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required **YES** NO

Change Nbr: 1

Change Date: 4/11/13



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO19548**

Purchase Order Date 4/11/13

PO Print Date 4/11/13

Page Number 2 of 2

**Order From :**

METAUX CASTLE  
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720  
P.O. BOX 4090 STN A  
TORONTO, ON M5W OE9  
CA

VC-MET001

**Contact Name**

**Vendor Phone**

514 694 9575

**Vendor Fax**

514 695 3281

**Vendor Account Nbr**

**Buyer**

Chantal Lavoie

**Requisition Nbr**

**Tax Resale Nbr**

10127-2607

**Terms**

Net 30

**Currency**

CAD

**FOB**

Destination-Collect

4	M303R0.750	303 Round Bar 0.750	4/22/13 Yes	100.00 f	Yours ppd	\$3.9700	\$397.00
---	------------	---------------------	----------------	-------------	-----------	----------	----------

**Special Inst:** MATERIAL: AISI 303 SS ROUND BAR AS  
PER ASTM A582  
NOTE: AISI 304/316 NOT ACCEPTABLE

5	M174R0.375	17-4 SS ROUND BAR .375"	4/26/13 Yes	36.00 f	Yours ppd	\$3.4900	\$125.64
---	------------	----------------------------	----------------	------------	-----------	----------	----------

**Special Inst:** MATERIAL: 17-4PH/S17400/TYPE 630 SS  
ROUND BAR PER AMS 5643/ASTM A564  
GRAIN MUST BE ALONG LENGTH OF  
BAR. MINIMUM YIELD TENSILE  
STRENGTH = 100KSI  
MINIMUM ULTIMATE TENSILE  
STRENGTH = 150 KSI

6	M174R0.750	17-4 round bar .750	4/22/13 Yes	100.00 f	Yours ppd	\$6.8300	\$683.00
---	------------	---------------------	----------------	-------------	-----------	----------	----------

**Special Inst:** MATERIAL: 17-4PH/S17400/TYPE 630 SS  
ROUND BAR PER AMS 5643/ASTM A564  
GRAIN MUST BE ALONG LENGTH OF  
BAR. MINIMUM YIELD TENSILE  
STRENGTH = 100KSI  
MINIMUM ULTIMATE TENSILE  
STRENGTH = 150 KSI

**MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY**

**PO Total:** \$2,664.72

Change Nbr: 1

Change Date: 4/11/13

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required **(YES)** NO